

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	9	(multi\$1cast\$4 with domain\$1) and destination\$1 and network\$4 and ((unique or distinct) near5 router\$1) and central\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>2</b>	6	3 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>3</b>	2	4 and database\$1 and port\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>4</b>	4	4 not 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>5</b>	25229	"same" near9 destination\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>6</b>	19835	7 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	937	("same" with destination\$1 with nodes) and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	0	9 and (multi\$1cast\$4 with domain\$1) and ((unique or distinct) near5 router\$1) and central\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	0	9 and (multi\$1cast\$4 with domain\$1) and ((unique or distinct) with router\$1) and central\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	7	9 and (multi\$1cast\$4 with domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	12 and ((unique or distinct) with router\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	6	12 and router\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB